

1.877.BY.LEGRAND (295.3472) www.legrand.us

### **Product Environmental Profile**

Middle Atlantic Products® Horizontal Distribution Rack Enclosures





#### ■ LEGRAND COMPANY OVERVIEW ■

• Designed to Be Better – Our Commitment to Sustainability

At Legrand\*, our sustainability commitment translates into greater benefits and tangible value for our customers, business partners, employees, and the broader community.

• Better Performance

We provide building solutions to meet many building performance goals from sustainability and energy efficiency to productivity and occupant well being. The right choice in network and electrical infrastructure can play a key role in many facets of building performance. Our products help ensure electrical safety. They offer choice and flexibility in space design. They are designed to reduce installation time and material waste on site. Because we know buildings consume a great deal of energy, we offer a range of products and solutions that reduce energy consumption from lighting to plug load to data centers.

• Better Solutions

We offer a wide range of innovative solutions for the building, while constantly evolving our design and development processes to improve the environmental profile of our products. Through active monitoring and research, we serve as an expert resource for market trends and building and product performance standards to keep our customers at the top of their game.

Better Operations

We focus on operational excellence because we believe optimizing the way we manage energy, water and waste is not only good for the environment, it's good for business. As part of the Department of Energy's Better Building, Better Plants Challenge (BBBP) Legrand has reduced its energy intensity by over 30% across 14 sites in the United States in just three years. Integrating sustainability into the way we run our operations makes us more competitive – and a better business partner.



For information on Legrand PEP's and other sustainability initiatives, scan the QR code to be brought to our Product Sustainability page.



### ■ LEGRAND'S ENVIRONMENTAL COMMITMENTS ■

Incorporate environmental management into our industrial sites

Of all Legrand sites worldwide, over 85% are ISO 14001 certified (sites belonging to Legrand for more than five years).

• Offer our customers environmentally friendly solutions

Develop innovative solutions to help our customers design more energy efficient, better managed and more environmentally friendly installations.

• Involve the environment in product design

Reduce the environmental impact of products over their whole life cycle.

Provide our customers with all relevant information (composition, consumption, end of life, etc.).



#### ■ REFERENCE PRODUCT

| Function          | Protect persons during 20 years against direct contact with live parts and allow grouping monitoring, control and protection devices in a single enclosure or a cabinet having the following dimensions 25.6"x42"x 10" |
|-------------------|--|
| Reference Product |  |
|                   | Part Number: HDR-9X  |
|                   | Horizontal Distribution Rack (Enclosure)   |

The company reserves the right to change specifications and designs without notice. All illustrations, descriptions, dimensions and weights in the document are for guidance and cannot be held binding on the company.



1.877.BY.LEGRAND (295.3472) www.legrand.us

### **Product Environmental Profile**

# Middle Atlantic Products® Horizontal Distribution Rack Enclosures



| Reference Flow | - All raw material inputs inclusive of primary packaging and including material that will end up as waste/recycled during manufacturing |
|----------------|---|
|                | - Installation componant - none<br>- All associated processes, transport, and disposal  |



### ■ PRODUCTS CONCERNED

The environmental data is representative of the following products:

Description - Vertical wall mount enclosure products within of the following series:

HDR

**TOR** 

VPM

VWM

WRP

WRS



### ■ CONSTITUENT MATERIALS

This Reference Product contains no substances prohibited by the regulations applicable at the time of its introduction to the market. It respects the restrictions on use of hazardous substances as defined in the RoHS directive 2011/65/CE.

| Total weight of Reference Product |                    |
|-----------------------------------|--------------------|
| (with unit packaging)             | 62.7 lbs (28.5 kg) |

| Plastics as % of weight |    | Metals as % of weight |       | Other as % of weight      |      |  |
|-------------------------|----|-----------------------|-------|---------------------------|------|--|
|                         |    | Steel                 | 92.7% | Paint                     | 1.4% |  |
|                         |    |                       |       |                           |      |  |
|                         |    |                       |       |                           |      |  |
|                         |    |                       |       |                           |      |  |
|                         |    |                       |       | Packaging as % of weight  |      |  |
|                         |    |                       |       | Cardboard                 |      |  |
|                         |    |                       |       | Polyethylene              | 0.2% |  |
|                         |    |                       |       |                           |      |  |
| Total plastics          | 0% | Total metals          | 92.7% | Total and other packaging | 5.9% |  |

Estimated recycled material content: 25% of weight.



### ■ MANUFACTURING ■

The Reference Product comes from sites that have received ISO 14001 certification.

Specific distances of transport before and after manufacturing were not available, but based on the use of local suppliers and sale within in North America, "Local transport" 621 miles (1,000 km) by heavy truck to the manufacturing site and to local distribution centers was included in the manufacturing stage.



### DISTRIBUTION

Products are distributed from logistics centers located to optimize transport efficiency. Information on the distance of distribution is not available so the PCR hypothesis for "Intracontinental transport", 2,175 miles (3,500 km) by heavy truck, was used. This represents transportation of the Reference Product from our facility to the local point of distribution in the North American market.



1.877.BY.LEGRAND (295.3472) www.legrand.us

## **Product Environmental Profile**

Middle Atlantic Products® Horizontal Distribution Rack Enclosures





#### INSTALLATION

No electricity or a negligible amount is required for installing the reference product.



### USE

Servicing and maintenance:

Under normal conditions of use, this type of product requires no servicing or maintenance.

Consumable

No consumables are necessary to use this type of product.



### ■ END OF LIFE ■

Development teams integrate product end-of-life factors in the design phase.

- Hazardous waste\* contained in the product: no hazardous waste
- (\*) Hazardous waste as defined by European Commission decision 2000/532/EC.
- Recycling rate:

Calculated using the method described in the IEC/TR 62635 technical report, the recyclability rate of the product without packaging is estimated as 95%. This value is based on data collected from a technological channel using industrial procedures. It does not pre-validate the effective use of this channel for end-of-life electrical and electronic products.

Separated into: (% of product without packaging )

plastic materials (excluding packaging): 0%metal materials (excluding packaging): 95%

Recyclability of packaging (separately): 58% (% mass of Primary packaging)



### ENVIRONMENTAL IMPACTS

The evaluation of environmental impacts examines the stages of the Reference Product life cycle: manufacturing, distribution, installation, use, and end of life. It is representative of products marketed and used in North America.

The following modelling elements were taken into account:

| Manufacturing | All transport for the manufacturing of the Reference Product, including materials and components, has been taken into account. Production of raw materials and packing, as well as the product manufacturing is accounted for. The waste generated during manufacturing phase has been included for non packaging materials. Manufacturing process have been accounted for using electricity, fuel and water use for the steel manufacturing portion of the facility. |
|---------------|---|
| Distribution  | Transport between the last distribution center and an average delivery to the sales area.   |
| Installation  | The end-of-life of the packaging is taken into account at this phase.   |
| Use           | <ul> <li>Under normal conditions of use, this type of product requires no servicing or maintenance.</li> <li>No consumables are necessary to use this type of product.</li> <li>Product category: Enclosure.</li> <li>Use scenario: Continuous operation for 20 years.</li> <li>Energy model: This product does not use electricity</li> </ul>  |
| End of life   | According to the PEP Ecopassport program rules, the end of life of the product is modelled by a transport of 621 miles (1000 km) by truck and landfilling of non-recycled materials (non-metals) the constituent materials.   |
| Software used | EIME V5 and its database "CODDE-2015-04" and the indicators defined in the PCR ed 3 in alignment with the EN15804 standard  |



1.877.BY.LEGRAND (295.3472) www.legrand.us

# **Product Environmental Profile**

Middle Atlantic Products® Horizontal Distribution Rack Enclosures






### ■ ENVIRONMENTAL IMPACTS (continued) ■

|  | Total for Li | fe cycle      | Raw mate<br>and<br>manufacti |        | Distributio | on     | Installatio | n      | Use      |   | End of life |       |
|--|--------------|---------------|------------------------------|--------|-------------|--------|-------------|--------|----------|---|-------------|-------|
| Global warming (GWP)                                       | 1.23E+02     | kg CO2 eq.    | 1.14E+02                     | 92.58% | 4.96E+00    | 4.03%  | 2.37E+00    | 1.93%  | 0.00E+00 | 0 | 1.80E+00    | 1.46% |
| Ozone depletion (ODP)                                      | 6.34E-07     | kg CFC-11 eq. | 6.14E-07                     | 96.89% | 1.00E-08    | 1.58%  | 6.03E-09    | 0.95%  | 0.00E+00 | 0 | 3.64E-09    | 0.57% |
| Acidification of soils and water (A)                       | 2.47E-01     | kg SO2 eq.    | 2.15E-01                     | 87.33% | 2.23E-02    | 9.04%  | 4.69E-04    | 0.19%  | 0.00E+00 | 0 | 8.50E-03    | 3.45% |
| Water eutrophication<br>(EP)                               | 3.66E-02     | kg PO43- eq.  | 2.49E-02                     | 68.18% | 5.12E-03    | 13.99% | 4.56E-03    | 12.45% | 0.00E+00 | 0 | 1.97E-03    | 5.38% |
| Photochemical ozone formation (POCP)                       | 4.11E-02     | kg C2H4 eq.   | 3.83E-02                     | 93.26% | 1.58E-03    | 3.85%  | 5.75E-04    | 1.40%  | 0.00E+00 | 0 | 6.12E-04    | 1.49% |
| Depletion of abiotic<br>resources - elements<br>(ADPe)     | 1.44E-05     | kg Sb eq.     | 1.41E-05                     | 98.09% | 1.98E-07    | 1.38%  | 4.08E-09    | 0.03%  | 0.00E+00 | 0 | 7.19E-08    | 0.50% |
| Total use of primary energy (PE)                           | 5.40E+03     | МЈ            | 5.30E+03                     | 98.20% | 7.01E+01    | 1.30%  | 1.67E+00    | 0.03%  | 0.00E+00 | 0 | 2.54E+01    | 0.47% |
| Net use of fresh water (FW)                                | 5.97E-01     | m3            | 5.96E-01                     | 99.89% | 4.44E-04    | 0.07%  | 6.75E-05    | 0.01%  | 0.00E+00 | 0 | 1.61E-04    | 0.03% |
| Depletion of abiotic<br>resources – fossil fuels<br>(ADPf) | 1.37E+03     | WJ            | 1.27E+03                     | 92.95% | 6.97E+01    | 5.09%  | 1.53E+00    | 0.11%  | 0.00E+00 | 0 | 2.52E+01    | 1.84% |
| Water pollution (WP)                                       | 4.76E+03     | m3            | 3.52E+03                     | 73.81% | 8.15E+02    | 17.12% | 1.37E+02    | 2.87%  | 0.00E+00 | 0 | 2.95E+02    | 6.20% |
| Air pollution  | 1.47E+04     | m3            | 1.44E+04                     | 97.97% | 2.03E+02    | 1.38%  | 1.16E+01    | 0.08%  | 0.00E+00 | 0 | 8.27E+01    | 0.56% |

<sup>\*</sup>represents less than 0.01% of the total life cycle of the reference flow.

The values of the 27 impacts defined in the PCR-ed3-EN-2015 04 02 are available in the digital database of pep-ecopassport.org website. The environmental impacts of the Reference Product are representative of the products covered by the PEP, which therefore constitute a homogeneous environmental family.

### % Environmental Impact per Life Cycle Stage of Reference Product





1.877.BY.LEGRAND (295.3472) www.legrand.us

## **Product Environmental Profile**

Middle Atlantic Products® Horizontal Distribution Rack Enclosures





### ■ ENVIRONMENTAL IMPACTS (continued)

For products other than the reference product, the environmental impacts can be determined via extrapolation from the reference product impacts, based on the rules listed below. The impacts of the products within the series listed above can reasonably be determined for a given impact category and life cycle phase, by multiplying the corresponding impact value for the reference product by the conversion factor provided below. Factors are generally consistent within a lifecycle phase for each product.

| Products  | Factor by life cycle phase  |   |   |   |  |  |  |  |
|---|---|---|---|---|--|--|--|--|
| Products  | Manufacturing   | Distribution  | Installation  | Use                                       | End of life  |  |  |  |
| For all covered products listed above, impacts are proportional to: | Mass of product without<br>packaging over mass of<br>reference product without<br>packaging | Total mass of product with<br>packaging over total mass<br>of reference product with<br>packaging | Mass of product<br>packaging over mass<br>of reference product<br>packaging | Impacts are the same as reference product | Mass of product<br>without packaging<br>over mass of reference<br>product without<br>packaging |  |  |  |

| Registration number: LGRP-00267-V01.01-EN  | Drafting rules: "PCR-ed3-EN-2015 04"<br>Supplemented by "PSR-0005-ed2-EN-2 | Drafting rules: "PCR-ed3-EN-2015 04" Supplemented by "PSR-0005-ed2-EN-2016 03 29" |  |  |  |
|--|--|---|--|--|--|
| Verifier's accreditation number: VH08  | Information and reference documents  | Information and reference documents: www.pep-ecopassport.org                      |  |  |  |
| Date of issue: 10-2016   | Validity period: 5 years   | Validity period: 5 years  |  |  |  |
| Independent verification of the declaration and data, in co<br>Internal  | mpliance with ISO 14025:2010   |   |  |  |  |
| The PCR Review was conducted by a panel of experts chair   | red by Philippe Osset (SOLINNEN).  |   |  |  |  |
| The elements of the present PEP cannot be compared with  | n elements from another program.   |   |  |  |  |
| Documents in compliance with ISO 14025:2010: "Environmenvironmental declarations"  | nental labels and declarations - Type III                                  | PEP   |  |  |  |
| In compliance with ISO 14040:2006: "Environmental manage In compliance with ISO 14044:2006: "Environmental manage In alignment with EN 15804:2012+A1:2013: "Sustainability | gement – LCA – Requirements and guidelines"                                | PASS  |  |  |  |

product category of construction products"